Pro 30h+

Wide Format Inkjet Printer

Widen your competitive advantage

Widen your capabilities, versatility and productivity

Widen your competitive advantage with the 3.2-meter EFI™ Pro 30h+ hybrid flatbed/roll-fed LED printer. It prints on a wide variety of substrates for a wide variety of applications with superior image quality at production-level speeds — all with environmentally friendly benefits and a very attractive price point.

With the EFI Pro 30h+ hybrid LED printer, you can take on more jobs, turn them faster, profit from higher-margin graphics, lower your costs, and widen your competitive advantage.

Offer premium-margin day/night backlit graphics using EFI's industry-leading white ink and multi-layer print capability.

Wide **capabilities** that keep your competitive edge sharp

The EFI Pro 30h+ printer is ideal for print providers looking to add wide-format capabilities or upgrade their existing wide-format equipment with direct-to-board and roll-to-roll printing in one platform.

This CMYK printer includes four channels of white ink to produce higher-value prints. Its native 5pL printheads, variable drop grayscale printing, and resolution up to 1200 dpi deliver saturated colors, smooth gradients, and fine text. The magnetic linear drive control ensures precision jetting and quiet operation. And with the high-performance, built-in, Fiery® proServer Core, you'll deliver outstanding image and color quality that make finished prints truly exceptional.

EFI white ink leads the industry in brightness and opacity, and can be imaged like any other color, in grayscale, up to 1200 dpi, and using our multilayer printing with up to five layers in a single pass.



FLOOD WHITE



SHAPE WHITE



DAY/NIGHT BACKLIT



FIVE-LAYER BLOCKOUT GRAPHIC

Wide **versatility** that opens new opportunities

The powerful combination of EFI's hybrid and LED curing technologies will not only help you meet the growing demands for higher quality with quicker turnaround times, but also offer you the ability to print on new and unique substrates, including high-value specialty substrates – opening doors to more applications and unique, creative opportunities.

Expand into wall coverings, decor and retail signage with the ability to print direct to rigid and flexible substrates with one printer.

Wide productivity that keeps the jobs moving

With productivity up to 235 m² per hour, you'll be able to take on more jobs and keep them moving to satisfy customer demand for faster turnarounds.

Continuous Board printing is a standard feature and allows you to maximize the printer's full production speeds with large boards or multiple small boards.

Changeover from rigid to flexible printing is fast and easy, and the Pro 30h+ printer features dual roll printing for even more throughput.



Wide design features for **true production environments**

Fully enclosed image area keeps production area dust and debris from getting in and around the carriage

Dual touchscreen graphical user interface in front and back of printer for ease of operation in multiple applications

Advanced, six chamber media-platen vacuum system with independent power controls ensures hold down and prevents media movement

fiery driven

+ Improved white ink recirculation system via sub-tanks; circulates more often and more efficiently, resulting in better ink consistency and uniform white prints

+ Improved media tracking with new durable woven belt and automated tracking technology

+ New light-weight media table design for faster assembly and better maneuverability

EFI's **market leading** green LED technology

Brilliantly designed "cool cure" LED technology empowers you with the ability to do more for less. Increase your profit opportunity by offering more premium-margin jobs while reducing operating costs and your environmental footprint:

- Meet the growing demands for higher quality with quicker turnaround times while extending your range of supported substrates, including lower cost and added-value specialty media, with lower heat LED lamps
- Increases uptime and productivity with instant on/off and less maintenance
- Drives down operating costs with significantly less energy consumption, less waste trying to find the right cure level, and fewer consumable parts
- Reduces waste with consistent color output and simple operation
- Satisfies customer requests for a greener print solution with low VOCs, lower power consumption, and less waste and consumables

Inks made for **real results** in the real world

Our Genuine EFI ProGraphics+™ Series UV Inks have been custom formulated based on real-world applications. And they're tested and optimized for our wide format printers, so you get the quality and performance you'd expect from Genuine EFI Inks.

- Superb open time - eliminating the need to purge or wipe printheads between jobs
- Improved jetting performance increases uptime and reliability
- Improved adhesion and elongation
- Environmentally friendly: Do not contain heavy metals, virtually no VOC emissions, TPO-free, and are formulated to meet future regulations
- Available in five-liter containers with a twelve-month shelf life

TECHNICAL SPECIFICATIONS

Media handling	
Maximum print area:	126 in (320 cm)
Maximum media thickness:	2 in (5.08 cm)
Six-zone, user-selectable vacuum system	
Maximum media weight on table	200 lb (90.7 kg)
Maximum roll weight	440 lb (200 kg)
Maximum roll diameter	12 in (30.5 cm)

Productivity	
Express	2,530 ft²/hr (235 m²/hr)
Distant	1,433 ft²/hr (133 m²/hr)
Production	835 ft²/hr (78 m²/hr)
POP	643 ft²/hr (60 m²/hr)
High Quality	510 ft²/hr (47 m²/hr)
Ultra Quality	362 ft²/hr (34 m²/hr)
Premium Quality	275 ft²/hr (26 m²/hr)

Environmental conditions	
Operating temperature:	68 °F to 86 °F (20 °C to 30 °C)
Humidity:	40% to 80% (non-condensing)
Dimensions (W x D x H):	227 in x 76 in x 77 in (575 cm x 192 cm x 194 cm)
Weight:	Approximately 6,835 lb / 3,100 kg uncrated
Electrical:	200–240 VAC, single phase, 50/60 Hz, 32 Amps

Fiery digital front end

Ships with an embedded Fiery® proServer Core digital front end that contains:

- Fiery XF server software for Windows® include:
  - Spot Color Option
  - Cut Marks Option
  - Color Verifier Option
  - Color Profiler Option
- Unlimited macOS® or Windows installations of Fiery Command WorkStation® with up to 10 concurrent connections
- One-year Fiery proServer hardware and Fiery XF software warranty

Optional Fiery IQ™ suite of cloud applications to make data driven decisions to improve ROI, minimize cost, maximize profit, and boost revenue.

Formats

All popular desktop files formats, including PostScript® 3™, EPS, TIFF, PDF, and RGB/CMYK

CMYUK Distribution Centre:
Unit 2 Impact Park, Willenhall Lane,
Bloxwich, Walsall,
West Midlands, WS3 2XN

CMYUK Group Head Office:
Building 329, Suite G4
Doncastle Road, Bracknell
Berkshire, RG12 8PE

CMYUK Demonstration & Training Centre
Unit 3B Vanguard Way,
Battlefield Enterprise Park,
Shrewsbury, SY1 3TG

sales@cmyuk.com

+44 (0) 118 989 2929

www.cmyuk.com